

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	103	(secret private) with (boot log-in start) with (stor\$ sav\$ record\$)	USPAT	OR	OFF	2005/02/02 08:36
L2	29	I1 with (device\$ computer\$)	USPAT	OR	OFF	2005/02/02 09:00
L3	39	GUID with (boot)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 09:16
L4	41	GUID with (boot start-up)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 10:20
L5	2	"6446149".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 09:17
L6	2	"6356983".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 09:18
L7	2	"6636921".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 09:18
L8	19	I4 and (@ad<="2001" @py<="2001")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 10:21
L9	32913	(GUID (Global adj User adj Identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 10:22

L10	41	I9 with (boot start-up)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 10:22
L11	49	I9 with (boot start-up log-in)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 10:23
L12	23	I11 and (@ad<="2001" @py<="2001")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 10:24
L13	1	I12 NOT (US "3552759" A US "3490548" A US "3326566" A US "3197222" A US "3125349" A US "3120373" A US "3012730" A US "2940624" A US "2882070" A US "2676813" A US "2456637" A US "2345990" A US "2336884" A US "2306824" A US "2174397" A US "2172669" A US "2025173" A US "1601561" A US "1337050" A).pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 10:27
L14	6939	(713/201 713/202 713/159 713/156)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 10:28
L15	4608	(713/201 713/202 713/159 713/156).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 10:28
L16	0	I15 with (GUID (Global adj User adj Identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 10:30
L17	0	I15 with (secret private)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 10:31

L18	0	I15 with (boot log-in startup)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 10:31
L19	0	I15 with (secret private key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 10:31
L20	3569	I15 and (secret private key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 10:31
L21	62	I20 and (GUID (Global adj User adj Identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 10:32
L22	26	I21 and (start-up boot log-in)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 10:33
L23	3	I22 and (@ad<="2001" @py<="2001")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 10:33